Your Complete Power-Pack Solutions Specialists



9.1L ENGINE

More Reliability, Same Footprint.

Classic big-block design. With increased uptime from heavy-duty spark-ignited engines designed for rugged industrial use.

Variable Speed Output Rankings

Complete Powe	i i uciti	1200-2800rpm, HP Radiator through Housing	
Fuel	1800rpm	2200rpm	
LPG	144	172	
Nat. Gas	132	160	


- EPA certified for use on pipeline natural gas, propane, and wellhead gas
- 700-1800 BTU Wellhead Gas capable/certified
- All ratings at sea-level, 77°F ambient
- All ratings will be affected by altitude and ambient temperature


The Difference-Makers Behind Every Reliable HP Engine:

- Heavy-duty block; cast and machined in the USA
- High quality materials designed for heavy-duty industrial use
- Engineered for reliability and long life cycles
- Modular, balanced design for minimized vibration and smooth operation
- Consistent, sophisticated engineering support
- Integrated Piston Oiling Jets for cooler operation and longevity



ENGINE SPECIFICATIONS





Туре	9.1L V-8
Displacement	555 cid
Engine Orientation	Longitudinal
Compression Ratio	10.5:1
Valve Configuration	Overhead Valves
Valve Lifters	Hydraulic Roller
Bore & Stroke	109.47 mm x 120.65 mm
Main Bearing Caps	4 Bolt Main
Rear Main Seal	1 Piece
Intake Manifold	Single Plane
Oil Pan Capacity	12 qt/11.35 L with Filter
Engine Rotation	Counter-Clockwise

Horsepower (Peak)

Propane	254 hp @ 2800 rpm	
Natural Gas	234 hp @ 2800 rpm	
Torque		
Propane	721 lb-ft @ 1200 rpm	
Natural Gas	664 lb-ft @ 1200 rpm	

Reliable HP Engines Use the Following Heavy Duty Materials

Block	Cast Iron	Pistons	Moly-Graphite Coated
Cylinder Heads	Cast Iron	Exhaust Seat	Industrial Grade Super Alloy
Intake Manifold	Aluminum	Intake Seat	Industrial Grade Super Alloy
Crankshaft	Forged Steel	Intake Valves	Stainless Steel
Camshaft	Steel Billet Roller	Exhausted Valves	Stellite/Inconel
Connecting Rods	Forged Steel		

